

Amendments to the Claims

1 (Currently amended). A process for the detection or quantification of eosinophils and basophils, comprising:

bringing a sample, optionally containing said eosinophils or basophils, into contact with an IL-5 anti-receptor (alpha chain) monoclonal antibody produced by the hybridoma deposited with the Collection Nationale de Culture de Microorganisme (CNCM) under accession no. I-2068 ~~which does not interfere with the fixing of IL-5 to its receptor and which does not inhibit the biological activity of IL-5;~~ and

detecting, and optionally quantifying, the eosinophils and basophils in said sample.

2 (Previously presented). A process according to claim 1, wherein the IL-5 anti-receptor monoclonal antibody is an antibody which does not interfere with IgE.

3 (Previously presented). A process according to claim 1 or 2, wherein the IL-5 anti-receptor monoclonal antibody is an antibody which does not interfere with the cell activation of eosinophils or basophils.

4 (Previously presented). A process according to claim 1 or 2, wherein the detecting step uses a flow cytometer or optical scanning cytometer.

Claim 5 (Cancelled).

6 (Currently amended). A process according to claim [[5]] 19, wherein the other monoclonal antibodies are directed against the markers CD3, CD16 and CD19.

7(Currently amended). A process according to claim 1 or 2, further comprising, for detecting and optionally quantifying[[,]] activated basophils, bringing the sample into contact with one or more other monoclonal antibodies directed against basophil activation markers.

8(Previously presented). A process according to claim 7, wherein the activation marker is the CD63 antigen.

9(Previously presented). A process according to claim 1 or 2, further comprising, for detecting and optionally quantifying activated eosinophils, bringing the sample into contact with one or more other monoclonal antibodies directed against eosinophil activation markers.

10(Previously presented). A process for the detection and quantification of activated eosinophils according to claim 9, wherein the activation marker is the CD69 antigen.

11(Previously presented). An anti-IL-5R antibody which is characterised by:

- binding to both eosinophils and basophils;
- absence of interference with the fixing of IL-5 to its receptor;
- absence of interference with IgE;
- absence of interference with cell activation of eosinophils or basophils; and
- absence of inhibition of the biological activity of IL-5.

12(Previously presented). A kit for the detection or quantification of eosinophils and basophils, comprising:

an anti-IL-5R monoclonal antibody according to claim 11
conjugated to a first fluorochrome; and

a mixture of antibody markers for lymphocytes, monocytes and
neutrophils, conjugated to a second fluorochrome.

13(Previously presented). A kit for the detection and
quantification of activated eosinophils and basophils, comprising:

an anti-IL-5R monoclonal antibody according to claim 11
conjugated to a first fluorochrome;

a mixture of antibody markers for lymphocytes, monocytes and
neutrophils, conjugated to a second fluorochrome; and

antibodies directed against activation markers and conjugated to
a third fluorochrome.

14(Previously presented). A kit for the detection or
quantification of the oxidative activity of eosinophils or basophils,
comprising:

an anti-IL-5R monoclonal antibody according to claim 11
conjugated to a first fluorochrome;

a mixture of antibody markers for lymphocytes, monocytes and
neutrophils, conjugated to a second fluorochrome; and

a marker substrate for the oxidative activity of eosinophils or
basophils.

15(Previously presented). A kit according to one of claims
12 to 14, which is applied to the study of allergic, parasitic or
leukaemic pathologies.

16(Previously presented). A process according to claim 1 or
2, wherein the IL-5 anti-receptor monoclonal antibody is an antibody of

Appln. No. 09/787,006
Amd. dated July 18, 2005
Reply to Office Action of January 27, 2005

the IgG1 type, the corresponding hybridoma of which was deposited with the Collection Nationale de Culture de Micro-organismes (CNCM) under accession no. I-2068.

17(Previously presented). A kit according to one of claims 12 to 14, wherein the IL-5 anti-receptor monoclonal antibody is an antibody of the IgG1 type, the corresponding hybridoma of which was deposited with the Collection Nationale de Culture de Micro-organismes (CNCM) under accession no. I-2068.

18(Currently amended). An [[IL-15]] IL-5 anti-receptor monoclonal antibody produced by the hybridoma deposited with the Collection Nationale de Culture de Micro-organismes (CNCM) under accession no. I-2068.

19(New). A process according to claim 1 or 2, further comprising bringing the sample into contact with other monoclonal antibodies directed against other markers not expressed by the eosinophil or basophil cell types.

20(New). The anti-IL-5R antibody of claim 11, which is produced by the hybridoma deposited with the Collection Nationale de Cultures de Microorganisme (CNCM) under accession no. I-2068.